

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: 241
IDENTITY: GREENSCAPES CARPET CLNR Revision Date: 01/25/2010
-----

Section I
-----

Manufacturer's Name:QUEST CHEMICAL CORPORATION Telephone Numbers:
Address: 12255 FM 529 Emergency:
NORTHWOODS INDUSTRIAL PARK 800/255-3924
HOUSTON Information:
State: TX Zip Code:77041 713/8968188
-----

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Table with 6 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM, %. Rows include 1,8-P-MENTHADIENE, ETHOXYLATED ALCOHOL, GLYCOL ETHER DPM, GLYCOL ETHER DPnB, PROPANE/N-BUTANE.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: >212 F Specific Gravity (water=1) 1.01
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: <0.5
Solubility in Water: 97% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, FRUITY MILD ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point(Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: CO2, DRY CHEMICAL, DRY SAND, LIMESTONE POWDER, FOAM
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS
IS ALWAYS RECOMMENDED WHEN FIGHTING FIRES.

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO
TEMPERATURES ABOVE 120 MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 241

Stability: Unstable: Conditions to avoid:  
Stable: X TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING  
Incompatibility (Materials to Avoid): STRONG ACIDS, STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts: OXIDES OF CARBON

Hazardous Polymerization: May Occur: Will Not Occur: X  
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES  
Health Hazards (Acute and Chronic):  
INHALATION: MAY CAUSE SLIGHT IRRITATION OF UPPER RESPIRATORY TRACT.  
EYES: MODERATE TO MILD IRRITATION. SKIN: NOT LIKELY TO CAUSE SKIN IRRITATION.  
INGESTION: MAY CAUSE SOME NAUSEA, HIGH DOSES MAY CAUSE COMA OR DEATH.  
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO  
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: INGESTION-INDUCE VOMITING, GIVE 1/2 L WARM WATER. SEE PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION SEE PHYSICIAN. EYES: WASH THOROUGHLY WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS SEE PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Precautions to be Taken in Handling and Storing: DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.  
Other Precautions: NONE

Section VIII: CONTROL MEASURES

Respiratory Protection: USE WITH ADEQUATE VENTILATION.  
Ventilation: Local Exhaust: ADEQUATE  
Mechanical: N/A Special: N/A  
Other: N/A  
Protective Gloves: NEOPRENE GLOVES.  
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS  
Other Protective Clothing or Equipment:  
N/A  
Work/Hygienic Practices:  
WASH HANDS AFTER USE

□